

From: [Moore, Gary](#)  
To: [Warr \(Kettler\), Kristie](#)  
Subject: Re: CES tank Trailer 407 and 408  
Date: Tuesday, September 16, 2014 2:41:39 PM

---

**Kristie:**

Could you check FT1004? We had an Oil (Totals but not all totals) w/RCI; Water (TCLP), and a Liquid (Looks like complete totals w/o RCI). I am trying to understand why the totals would not have been done as a complete Totals analysis but really I would like to know the following:

1. On the Oil matrix, why did I not get the complete totals;
2. On the Liquid Matrix, why did I not get RCI?

Thanks

**Gary Moore**

**Federal On-Scene Coordinator**

**U.S. EPA Region 6**

**214-789-1627 cell**

**214-665-6609 office**

**[moore.gary@epa.gov](mailto:moore.gary@epa.gov)**

---

From: Warr (Kettler), Kristie  
Sent: Tuesday, September 16, 2014 11:27 AM  
To: Moore, Gary; [beth.crawford@CBIFederalServices.com](mailto:beth.crawford@CBIFederalServices.com)  
Cc: Cobb, Derrick  
Subject: RE: CES tank Trailer 407 and 408

Gary,

Please see the revised data for samples collected during the ER. The VOC and SVOC lists are now consistent with the rest of the samples. Please note, this does not include the dioxin/furan data that was also reported for these samples. The D/F data was reported in a separate PDF and did not change.

Labs typically have various lists of compounds. We usually ask for the "long" list of parameters, unless there is reason to limit the list of reported analytes. When this project was set up, the long list was selected. The selection is made by "clicking" an option. For this particular data set, the incorrect option was selected. Since these tank samples had not yet been in a summary table with the rest of the samples, it was not obvious that any analytes were missing. I should have noticed the shorter list.

As I indicated yesterday, we are working on loading all the most recent data into Scribe. We will be working on a summary table with this information. Would you like these two tank samples (collected during the ER phase) included with the most recent set of samples?

Kristie

---

From: Moore, Gary [<mailto:Moore.Gary@epa.gov>]  
Sent: Monday, September 15, 2014 5:48 PM  
To: Warr (Kettler), Kristie  
Subject: Re: CES tank Trailer 407 and 408

**Kristie:**

I would like to get a deadline on when we will get this information. My other question is why do they get to pick and choose what data is reported?

Thanks

**Gary Moore**

**Federal On-Scene Coordinator**

**U.S. EPA Region 6**

**214-789-1627 cell**

**214-665-6609 office**

**[moore.gary@epa.gov](mailto:moore.gary@epa.gov)**

---

**From:** Warr (Kettler), Kristie <[K.Warr@WestonSolutions.com](mailto:K.Warr@WestonSolutions.com)>

**Sent:** Monday, September 15, 2014 3:17 PM

**To:** Moore, Gary

**Cc:** Cobb, Derrick

**Subject:** RE: CES tank Trailer 407 and 408

Gary,

I spoke with the lab today. They are working now to get the analyte list for these two samples adjusted. For this one SDG, they reported a shorter list.

As soon as I get this data, we will get it added to the summary table.

Thanks,

**Kristie**

---

**From:** Moore, Gary [<mailto:Moore.Gary@epa.gov>]

**Sent:** Saturday, September 13, 2014 1:59 AM

**To:** Warr (Kettler), Kristie

**Cc:** Cobb, Derrick

**Subject:** CES tank Trailer 407 and 408

Kristie

I noticed that these samples did not include pyridine which has a waste code of D038. We can't determine if hazardous for this compound because we chose to do totals instead of TCLP. What can we do?

Gary

Sent from my BlackBerry 10 smartphone.

**CONFIDENTIALITY:** This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

**CONFIDENTIALITY:** This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.